


Environmental Weed Risk Assessment results for *Medicago scutellata* (L.) Mill.

Synonym/s:

Assessors Name/s Rod Randall



Common Name/s: **snail medic**

| | |
|---------------------------|----------------------|
| Invasiveness Score | Impacts Score |
| 5.56 | 2.00 |

Final FFI Score = Invasiveness Score x Impacts Score x Climate Score

| | Climate Score | Final FFI Score | FFI Environmental Weed Risk Rating |
|------------------|---------------|-----------------|------------------------------------|
| Kimberley | 0.5 | 5.56 | Negligible - Low |
| Pilbara | 0.5 | 5.56 | Negligible - Low |
| Gascoyne | 1 | 11.11 | Negligible - Low |
| Southwest | 10 | 111.11 | Medium |

Region Boundaries



| FINAL FFI Score | Weed Risk | Interpretation - Invasive Species Weed Assessor |
|-----------------|------------------|--|
| > 235 | Very High | Use not recommended, requires a management plan, significant risks |
| 112 - 235 | High | Use not normally recommended, requires a risk management plan |
| 50 - 111 | Medium | Can be used, monitor, manage and report any offsite movement |
| 0 - 49 | Negligible - Low | Can be used with minimal concern |

For more details on the CRC Future Farm Industries system see:

Stone, L., Munday, C. and Bettink, K. (2012). Environmental Weed Risk Assessment Protocol. Future Farm Industries CRC (20 pp.). <http://www.futurefarmonline.com.au/about/weedrisk.htm>