


Environmental Weed Risk Assessment results for *Stylosanthes hamata* (L.) Taub.

Assessors Name/s Rod Randall




Maps: Current Australian distribution [above left], predicted preferred climate [above right] and global distribution [bottom].

Common Name/s: stylo

Invasiveness Score	5.93	Impacts Score	3.00
---------------------------	-------------	----------------------	-------------

	Climate Score	Final FFI Score	Environmental Weed Risk Rating
Kimberley	3	53.33	Medium
Pilbara	1	17.78	Negligible
Gascoyne	0.5	8.89	Negligible
Southwest	0.5	8.89	Negligible



FINAL FFI Score	Weed Risk	Interpretation - Invasive Species Weed Assessor
> 235	Very High	Use not supported, significant environmental risks
112 - 235	High	Use not recommended, any spread to be reported and controlled
50 - 111	Medium	Can be used, monitor, manage and report any offsite movement
18 - 49	Low	Can be used with minimal concern
< 18	Negligible	Can be used without concern

For more details on the CRC Future Farm Industries system see:

Stone, L., Munday, C. and Bettink, K. (2012). Environmental Weed Risk Assessment Protocol. Future Farm Industries CRC (20 pp.). <http://www.futurefarmonline.com.au/about/weedrisk.htm>